




Sanitary Unions


Sanitary filters



Clamping straight filters

DIN-GL11


DN	A	D	H
25	50.5	94.2	300
32	50.5	94.2	300
40	50.5	94.2	300
50	64	122.2	340
65	91	122.2	380
80	106	170.4	460
100	119	170.4	560



Clamping angle-type filters

DIN-GL12


DN	A	D	L	L2	H
25	50.5	94.2	50	70	280
32	50.5	94.2	50	70	280
40	50.5	94.2	50	70	280
50	64	122.2	65	100	310
65	91	122.2	65	120	350
80	106	170.4	80	140	420
100	119	170.4	100	140	520



Welding straight filters

DIN-GL21

DN	A	D	H
25	28	94.2	310
32	34	94.2	310
40	40	94.2	310
50	52	122.2	360
65	70	122.2	400
80	85	170.4	480
100	104	170.4	580




Welding angle-type filters

DIN-GL22

DN	A	D	L	L2	H
25	28	94.2	50	70	290
32	34	94.2	50	70	290
40	40	94.2	50	70	290
50	52	122.2	65	100	330
65	70	122.2	65	120	370
80	85	170.4	80	140	440
100	104	170.4	100	140	540


Sanitary filters



Clamping straight filters

SMS-GL11


Size	A	D	H
25	50.5	94.2	300
38	50.5	94.2	300
50	64	122.2	340
63.5	77.5	122.2	380
76	91	170.4	460
104	119	170.4	560



Clamping angle-type filters

SMS-GL12


Size	A	D	L	L2	H
25	50.5	94.2	50	70	280
38	50.5	94.2	50	70	280
50	64	122.2	65	100	310
63.5	77.5	122.2	65	120	350
76	91	170.4	80	140	420
104	119	170.4	100	140	520



Welding straight filters

SMS-GL21

Size	A	D	H
25	25	94.2	310
38	38	94.2	310
50	51	122.2	360
63.5	63.5	122.2	400
76	76.1	170.4	480
104	101.6	170.4	580



Clamping angle-type filters

SMS-GL22

Size	A	D	L	L2	H
25	25	94.2	50	70	290
38	38	94.2	50	70	290
50	51	122.2	65	100	330
63.5	63.5	122.2	65	120	370
76	76.1	170.4	80	140	440
104	101.6	170.4	100	140	540

Sanitary filters

Sri Pumps produce a lot of filters, which used for food, pharmacy, chemical industry and biology area and machined by CNC machines or polished.

Technical parameters

Size	1" - 4" DN25 - DN100 26.9 - 114.3
Material	304 304L 316 316L
Flow type	Straight-type Angle-type
Filtering grit	40-2005 Grit

Ordering specifications

Standard
Size
Material
Flow type
Filtering grit
Quantity

Example:

Standard	Size	Material	Flow type	Filtering grit	Quantity
3A	1.5"	304	Angle-type	60 Grit	200



**Sri Pumps
& Fittings
Industrial
Corporation**

#89-18-45, Morumpudi Junction,
Rajahmundry-03, Andhra Pradesh, India.
Ph: +91 883 2426845, 46, Fax: +91 883 2430819
e-mail: info.sripumps@gmail.com
www.spfic.com